



WYOMING

ThermWise® Business Rebates Application

If you conserve, you can save.

IMPORTANT: Please read this application carefully. It is the applicant's responsibility to complete the application and submit it with the required supporting documentation. Rebates are only available for Questar Gas® General Service (GS) business customers, where measures are installed prior to requesting a rebate. Application must be signed by customer holding Questar Gas account. Please allow 6-8 weeks from receipt of complete application for rebate processing. Rebates will not be paid for ineligible or incomplete applications.

Account information (Please print clearly)

Account number* _____ Service-agreement number* _____

Customer information

Customer account name _____ Phone () _____
Installation address _____ City _____ State _____ Zip _____
Mailing address _____ City _____ State _____ Zip _____
E-mail address _____

* Required account and service agreement numbers are located on gas bill. See example below.

Application instructions:

- 1. Purchase and install a qualified product. To find out what products and services qualify, visit ThermWise.com or obtain a program brochure from your equipment dealer.
2. Complete all the information requested on this rebate application.
3. Review and sign the Acceptance of Terms below.
4. Include a copy of your most recent Questar Gas monthly bill to expedite the application processing time.
5. Include sales receipt or invoice that includes all of the following information:
- Retailer/Contractor name, address and phone number
- Itemized listing of quantity, size, description, manufacturer, model number and other identifying information as appropriate
- Purchase date and cost
- Product installation date
- Efficiency requirements documentation
6. Mail the completed signed application with all supporting documents to the address below.

Questar Customer Account: 0989805663
Account Summary as of: January 11, 2007
Previous Balance Due - 0.00
Current Charges - Gas Service 110.67
Total Amount Due Upon Receipt \$ 110.67
1% monthly interest (12% annually) charged on balance on or after 02/02/2007.
Service from 12/15/2006 - 1/15/2007
Charge for Gas Used (Avg cost per DTH \$ (9.31835)) 101.57
Commercial Gas Service
Service Agreement: 0989805443
Comparison table with Last Year and This Year columns for Decatherms/Day and Dollars/Day.

Account information

The customer (1) account number and (2) service-agreement number can be found on the Questar Gas monthly statement.

Acceptance of terms

I hereby certify that all information is accurate, including claims of customer and equipment information. I have read all terms and conditions and acknowledge that Questar Gas may verify all information provided.

Customer signature _____ Date _____

Mail the completed application to:
ThermWise® Business Rebates
P.O. Box 45360
Salt Lake City, UT 84145-0360
1-800-567-3460 • ThermWise.com

Food Service, Laundry, HVAC & Water Heating

Questar® provides rebates to eligible commercial customers on a GS rate schedule when installing qualifying natural gas equipment. For more information about ThermWise Business Rebates, listings of eligible equipment, or rebates for other energy efficient equipment, contact your local dealer, visit our Web site at ThermWise.com, or call our Customer Service Hotline at 1-800-567-3460.

Used, rebuilt or leased equipment is not eligible. Customers are required to provide proof of purchase and supporting documentation that the equipment meets or exceeds the energy-efficiency requirements.

Food Service Equipment						
Equipment	Required Efficiency	Rebate (\$/unit)	Qty.	Manufacturer	Model #	Serial #
Low-Flow Pre-Rinse Spray Valve	≤1.6 GPM (retrofit only)	\$25				
ENERGY STAR® Commercial Gas Fryer	ENERGYSTAR® ≥ 50% Cooking Efficiency	\$1,000				
ENERGY STAR Gas Steam Cooker	ENERGYSTAR® ≥ 38% Cooking Efficiency	\$1,000				
High-Efficiency Gas Convection Oven	≥ 40% Cooking Efficiency utilizing ASTM Standard F1496	\$1,000				
High-Efficiency Gas Combination Oven	≥ 40% Cooking Efficiency utilizing ASTM Standard F1639	\$1,000				
High-Efficiency Gas Griddle	≥ 38% Cooking Efficiency utilizing ASTM Standard F1275	\$300				

Laundry Equipment						
Equipment	Required Efficiency	Rebate (\$/unit)	Qty.	Manufacturer	Model #	Serial #
High-Efficiency residential clothes washer used in a business (gas water heating required)	MEF = 1.72 - 1.99	\$50				
	MEF ≥ 2.0	\$75				
High-Efficiency Coin-op or Laundromat Clothes Washer (gas water heating required)	MEF ≥ 1.72 and WF ≤ 8.0	\$150				
Gas Clothes Dryer	Moisture Sensor Installed	\$30				

HVAC & Water Heating Equipment								
Equipment	Equipment Size Category	Required Efficiency	Rebate (\$/unit)	kBtu Input	Qty.	Manufacturer	Model #	Serial #
High-Efficiency Storage Gas Water Heater	≤ 75,000 Btu/hr input	≥ 0.62 EF ENERGY STAR	\$50					
	> 75,000 Btu/hr input	≥ 82% Thermal Efficiency	\$2.00/kBtu					
High-Efficiency Tankless Gas Water Heater	< 200,000 Btu/hr	≥ 0.82 EF ENERGY STAR	\$2.00/kBtu					
High-Efficiency Gas Furnace	< 300,000 Btu/hr	≥ 90% AFUE	\$200					
	< 300,000 Btu/hr	≥ 92% AFUE	\$300					
	< 300,000 Btu/hr	≥ 94% AFUE	\$400					
Gas Boilers (hot water)	< 300,000 Btu/hr	≥ 85% AFUE	\$2.00/kBtu					
	≥ 300,000 Btu/hr	≥ 90% Thermal Efficiency	\$3.25/kBtu					
Gas Boilers (steam)	< 300,000 Btu/hr	≥ 85% AFUE	\$2.00/kBtu					
	≥ 300,000 Btu/hr	≥ 82% Thermal Efficiency	\$2.00/kBtu					
Direct-Contact Gas Water Heater	N/A	> 90% Thermal Efficiency	\$1.10/kBtu					
High-Efficiency Gas Unit Heater	< 300,000 Btu/hr	≥ 83% Thermal Efficiency < 90%	\$1.25/kBtu					
	< 300,000 Btu/hr	≥ 90% Thermal Efficiency	\$6.00/kBtu					
Infrared-Heating System	N/A	Replacing existing natural gas non-infrared systems only	\$5.00/kBtu					
Programmable Thermostat (gas heating)	N/A	2008 ENERGY STAR® Thermostat	\$25	-				
Boiler Outside-Air Reset Control	N/A	Existing boilers only	\$250	-				
Boiler Tune-up	N/A	Existing boilers only	\$300	-	Complete Boiler Tune-up Form and submit with application. Limited to one tune-up per 2-year period per boiler			

Weatherization

Questar Gas® can help you build a better building whether you are upgrading an existing commercial facility or building a new one. Rebates are available to eligible Questar Gas commercial customers on a GS rate schedule who install high-efficiency windows and/or new insulation in walls and roofs that exceed minimum energy code requirements. All equipment must be new, and customers are required to provide proof that the program efficiency requirements have been met.

Please check the building type, county and indicate rebate measure applying for:					
Building Type:	<input type="checkbox"/> Existing Structure	<input type="checkbox"/> New Construction			
County:	<input type="checkbox"/> Carbon	<input type="checkbox"/> Lincoln	<input type="checkbox"/> Sublette	<input type="checkbox"/> Sweetwater	<input type="checkbox"/> Uinta
Rebate Type:	<input type="checkbox"/> Roof - Insulation Above Deck	<input type="checkbox"/> Roof - Metal Building	<input type="checkbox"/> Roof - Attic and other		
	<input type="checkbox"/> Wall - Mass	<input type="checkbox"/> Wall - Metal Building	<input type="checkbox"/> Wall - Metal framed		
	<input type="checkbox"/> Wall - Wood Framed & Other	<input type="checkbox"/> Window - Assembly	<input type="checkbox"/> Windows - Site-built		

FOR INSULATION MEASURES — The insulation levels must EXCEED the International Energy Conservation Code 2003 by specific increments and types of insulation shown in Table 1 below. Fill in applicable portions of the table below indicating the type and amount of insulation installed and submit a manufacturer specification sheet for the insulation with this application.

Blowen In Insulation		Batts and Rolls		
Number of bags used: _____	If Retrofit: Depth of previous insulation: _____ R-Value of previous insulation: _____ Type of previous insulation: _____	R-Value	Thickness	Area Insulated
Area insulated (sq. ft.): _____		Ceilings _____	_____ in.	_____ Sq. Ft.
Thickness of insulation: _____ (inches)		_____	_____ in.	_____ Sq. Ft.
R-Value of insulation: _____		Walls _____	_____ in.	_____ Sq. Ft.
Type of insulation: _____		_____	_____ in.	_____ Sq. Ft.

Continuous Insulation						
Location	Manufacturer/Brand	R-Value Per Inch	Thickness	In.	Area Insulated	Sq. Ft.
				In.		Sq. Ft.
				In.		Sq. Ft.
				In.		Sq. Ft.

- FOR REFERENCE ONLY -

Table 1. Code level and minimum total efficiency requirements for qualifying insulation measures.

Table 1 - Counties Covered: Carbon, Lincoln, Sublette, Sweetwater and Uinta		
	Assembly Type	Program Requirement
ROOFS:	Insulation Entirely Above Deck	R-28 ci
	Attic and Other	R-35
WALLS, ABOVE GRADE:	Mass	R-12.7 ci
	Metal Framed	R-13 + R-6.7 ci
	Wood Framed	R-13 + R-3.7 ci

ci = continuous insulation. See IECC 2003 for definitions.
 R = R-Value which is the resistance of the insulation to the conduction of heat.

For Window Measures

Documentation of window performance requires NFRC (National Fenestration Rating Council) stickers, or manufacturer specifications for the window assembly (not center of glass) rated in accordance with NFRC. Dimensions of each installed window must also be submitted.

Window Rebates Calculation Worksheet

A. Each Unique Window	B. Model	C. Operation Type (slider, picture, double-hung, etc.)	D. U-value Documented with NFRC sticker, etc.	E. Width Inches - documented by contractor work order, etc.	F. Height Inches - documented by contractor work order, etc.	G. Square inches Multiply width (E) by by height (F)	H. Square Feet Divide total square inches (G) by 144
<i>Example</i>	2044	horizontal slider	.34	24	30.5	732	5.08
1							
2							
3							
4							
5							
6							
7							
8							
Manufacturer: _____				Total Square Feet Column			
Install Date: _____				Multiply Total Square Feet by \$0.28			
Installation Cost \$: _____			Date Installation Paid: _____		*Estimated Total Rebate		

* Program administrator will verify rebate calculations and may adjust according to verified information.

- FOR REFERENCE ONLY -

Table 2. Code level and minimum total efficiency requirements for qualifying windows measures.

Table 2 - Minimum Efficiency Requirements					
Business Weatherization Equipment	Required Efficiency	Rebate (\$/unit)	Quantity (Sq. Ft.)	Manufacturer	Model #
High-Efficiency Windows	U-Value of 0.42 or less	\$0.28/sq. ft.			

Terms and Conditions

Rebate availability

Questar Gas's ThermWise® Business Rebates program has been approved by the Public Service Commission of Wyoming and may be subject to change or modification at any time. All equipment must be new and must be purchased and installed prior to submitting a rebate application, and must have been purchased and installed on or after July 1, 2009. Applications must include all information requested. Failure to provide this information may result in the delay or denial of the rebate.

Rebate qualification

Qualifying products and services may be found online at ThermWise.com. Equipment must be installed in a separately metered commercial unit receiving service on a GS rate schedule within Questar Gas's Wyoming service area.

Application details

Applications are subject to verification by Questar Gas. If your application is selected for verification, it will not be processed until the verification process is satisfactorily completed.

Questar Gas issues rebates in the form of checks, not utility-bill credits. Questar Gas is not responsible if your retailer or contractor provides inaccurate information about the amount and/or conditions of the actual rebate, and Questar Gas will not pay rebates for equipment that is mislabeled or misrepresented by dealers regarding rebate qualifications. Businesses receiving rebates under the ThermWise Business Rebates program may not receive equipment purchase and installation rebates for the same equipment under other Questar Gas programs.

Rebate limitations and limitation of damages

Payment of the rebate by Questar Gas does not warrant the performance of qualifying/installed equipment and does not warrant that the qualifying/installed equipment will deliver any specified amount of energy or cost savings. The customer shall independently evaluate any information related to the qualifying equipment. Neither Questar Gas, its parent company, affiliates, subsidiaries, officers, employees, nor its contractors make any warranty, expressed or implied, or assume any legal liability or responsibility for the accuracy, completeness or usefulness of any information, estimated savings, benefits, products or processes disclosed, or represent that its use would not infringe on privately-owned rights. Reference to any specific commercial project, processes, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by Questar Gas, its parent company, affiliates, subsidiaries, officers, employees, or its contractors.