

ThermWise® Business Rebates

2024 Quick Reference Guide

EQUIPMENT	EQUIPMENT SIZE	REQUIRED EFFICIENCY	REBATE (\$/UNIT)	ESTIMATED ANNUAL GAS SAVINGS
Heating and Water Heating Business Rebates				
Natural Gas Boiler (hot water)	< 300,000 Btu/Hr Input	AFUE ≥ 85%	\$2.00 per kBtu/Hr Input	0.13 kBtu/hr
	≥ 300,000 and < 2.5 million Btu/Hr Input	TE ≥ 90%	\$3.25 per kBtu/Hr Input	0.16 kBtu/hr
	≥ 300,000 and < 2.5 million Btu/Hr Input	TE ≥ 95%	\$3.50 per kBtu/Hr Input	0.244 kBtu/hr
	≥ 2.5 million Btu/Hr Input	TE ≥ 90%	\$3.25 per kBtu/Hr Input	0.159 kBtu/hr
	≥ 2.5 million Btu/Hr Input	TE ≥ 95%	\$3.50 per kBtu/Hr Input	0.206 kBtu/hr
Natural Gas Boiler (steam)	< 300,000 Btu/Hr Input	AFUE ≥ 85%	\$2.00 per kBtu/Hr Input	0.163 kBtu/hr
	≥ 300,000 Btu/Hr Input (except natural draft)	TE ≥ 82%	\$2.00 per kBtu/Hr Input	0.07 kBtu/hr
	≥ 300,000 Btu/Hr Input (natural draft)	TE ≥ 80%		0.12 kBtu/hr
Boiler O2Trim Controls	N/A	O2 controls must be capable of reducing excess air by <10%. Can be installed on new or existing natural gas fired boiler. Must not be required by code.	\$0.20 per kBtu/Hr input	0.014 kBtu/hr
Boiler Linkagless Controls	N/A	Must replace existing mechanically linked combustion air and fuel valve mechanisms with digital linkagless control. Only natural gas fired boilers. Must not be required by code.	\$0.50 per kBtu/Hr input	0.043 kBtu/hr
Natural Gas Furnace	N/A	AFUE ≥ 95%	\$300	19.7
		AFUE ≥ 97.5%	\$350	24
Dual-Fuel Heating System -Tier 1	N/A	ENERGY STAR® Certified Ducted Heat Pump with HSPF ≥ 9.0; SEER ≥14; ENERGY STAR® Certified Natural Gas Heating System; changeover setpoint ≤ 40° F	Up to \$1,000 (\$700 Heat Pump only)	26 Dth/unit
Dual-Fuel Heating System -Tier 2	N/A	ENERGY STAR® Certified Ducted Heat Pump with HSPF ≥ 10.0; SEER ≥18; EER ≥ 11.5; ENERGY STAR® Certified Natural Gas Heating System with AFUE ≥ 97.5%; changeover setpoint ≤ 40° F	Up to \$1,200 (\$850 Heat Pump only)	34 Dth/unit
VRF (Variable Refrigerant Flow) with Natural Gas DOAS (Dedicated Outdoor Air System)	N/A	ENERGY STAR® compliant heat pump, must include natural gas DOAS	\$150/ton	6.86 Dth/ton
Condensing Indirect Fired Rooftop Unit	≥ 50,000 Btu/Hr Input	TE ≥ 90% or EF .90 or higher	\$5.00 per kBtu/Hr Input	0.41 kBtu/hr
Gas Unit Heater	Non-condensing	83% - 89% Thermal Efficiency	\$1.25 per kBtu/Hr Input	0.05 kBtu/hr
	Condensing	TE ≥ 90%	\$6.00 per kBtu/Hr Input	0.16 kBtu/hr
Gas Infrared Heating System	N/A	Replaces existing natural gas non-infrared heating systems or installed in new construction.	\$5.00 per kBtu/Hr Input	0.46 kBtu/hr
Modulating Gas Infrared Heating System	N/A	Replaces existing natural gas non-infrared heating systems or installed in new construction.	\$7.50 per kBtu/Hr Input	0.53 kBtu/hr
	N/A	Replacing existing infrared heating system.	\$2.00 per kBtu/Hr Input	0.07 kBtu/hr
SmartThermostat	N/A	List of requirements can be found at Thermwise.com. (Retrofit Only)	\$0.07/sq.ft. up to 50% of the Thermostat cost. Max \$100 per unit	.007 Dth/sq.ft.
Pipe Insulation	Hot Water	List of requirements can be found at ThermWise.com	\$1.50/sq. ft.	.84 Dth/sq. ft.
	Steam	List of requirements can be found at ThermWise.com	\$4.00/sq. ft.	3.13 Dth/sq. ft.
Boiler Outside Air Reset Control	N/A	Where not required by code.	\$250	74.10
Gas Boiler Tune-up	N/A	Complies with the program requirements worksheet at ThermWise.com.	\$100 per unit	12.94
	≥ 300 and < 1,500 kBtu	Perform a qualifying tune-up that complies with the boiler tune-up program requirements worksheet (available at ThermWise.com) and yields an improvement in combustion efficiency.	Up to \$200 per unit	24.43
	≥ 1,500 kBtu		Up to \$300 per unit	36
Gas Storage Water Heater	≤ 75,000 Btu/Hr Input	ENERGY STAR® Qualified	\$100	2.92
	> 75,000 Btu/Hr Input	TE ≥ 82%	\$2.00 per kBtu/Hr Input	0.29 kBtu/hr
Tankless Gas Water Heater	< 200,000 Btu/Hr Input	ENERGY STAR® Qualified	\$2.00 per kBtu/Hr Input	0.14 kBtu/hr
	≥ 200,000 Btu/Hr Input	TE ≥ 82%	\$2.00 per kBtu/Hr Input	0.14 kBtu/hr
	≥ 200,000 Btu/Hr Input	TE ≥ 90%	\$3.00 per kBtu/Hr Input	0.25 kBtu/hr

EQUIPMENT	EQUIPMENT SIZE	REQUIRED EFFICIENCY	REBATE (\$/UNIT)	ESTIMATED ANNUAL GAS SAVINGS
Heating and Water Heating Business Rebates (Continued)				
Direct Contact Gas Water Heater	All	TE > 90%	\$1.10 per kBtu /Hr Input	0.23 kBtu/hr
Condensing Gas Storage Water Heater	≤ 75,000 Btu/Hr Input	ENERGY STAR® Qualified	\$350	10.2
Hybrid Gas Storage Water Heater	≤ 75,000 Btu/Hr Input	TE ≥ 90%	\$350	10.2
Combined Space/Water Heat	N/A	≥ 90% AFUE, must be considered one unit by manufacturer	\$450	18.7
Solar Assisted Water Heater (Pool)	Pool area must be less than 5,000 square feet	Active system certified OG-100 by SRCC	\$750	68.90
Direct - Fired Heaters	N/A	100% Outdoor air or recirculating units with a TE ≥ 92%. Make-up air units serving strictly process loads are not eligible (Kitchen, paint booth, Etc.) Exceptions: MAUs eligible if replacing non-condensing, indirect fired equipment	\$6.00 per kBtu/Hr input	.79 kBtu/Hr
Energy Recovery Ventilator	N/A	Not required by code	\$100 per million cubic ft. of air per week	9.1 Dth per million cubic ft. of air per week
DCV - Demand Control Ventilation (Retrofit Only)	Tier 1	List of requirements can be found at ThermWise.com	\$400	27.2
	Tier 2	List of requirements can be found at ThermWise.com	\$0.05 per AHU/RTU/ MAU design supply CFM up to 50% of DCV controls and sensor cost	.0068 Dth/CFM
Advanced Rooftop Controls	≥ 3 tons and ≤ 10 tons	Code required installations are not eligible. Installations must include demand control ventilation (DCV) and remote connection enabled equipment. Contractor must verify equipment is scheduled per facility occupancy schedule. Rebate cannot be paired with DCV and commercial smart thermostat incentive	\$500.00	34.0 Dth/unit
	> 10 tons and ≤ 15 tons		\$650.00	42.0 Dth/unit
	> 15 tons		\$800.00	76.0 Dth/unit
Green Certified New Building	N/A	Facility must be constructed within past 12 months. Facility must be heated using natural gas. Green certification must be provided (ENERGY STAR, LEED, Green Globe, NZEB)	\$0.05/per sq. ft. not to exceed \$15,000	.007 Dth/sq.ft.
High-Performance New Construction	N/A	New construction project participating in utility sponsored energy modeling as defined on www. ThermWise.com	\$5.00 per modeled dekatherm saved	1.00 Dth/Unit
Weatherization Business Rebates				
Roof Insulation	Retrofit	Minimum increment of R-10	\$0.08/sq.ft.	.0023 Dth/sq. ft.
Wall Insulation	Retrofit	Incremental addition of R-10	\$0.12/sq.ft.	.004 Dth/sq. ft.
Appliance and Food Service Business Rebates				
Clothes Washer	Commercial High-Efficiency Clothes Washer (Coin-operated/Laundromat)	ENERGY STAR® Qualified	\$75.00	6.5
Gas Dryer Moisture Sensor	N/A	Existing dryer must not contain moisture sensor	\$25.00	11.2
Modulating Gas Dryer	N/A	Controller must modulate burner	\$75.00	32
High Efficiency Pre-Rinse Spray Valve	Direct-install	≤ 1.28 GPM (retrofit only)	Call for information 801-324-5147	10.8
Gas Commercial Fryer	N/A	ENERGY STAR® Qualified	\$500 per vat	40.40
Gas Commercial Fryer (Used)	N/A	Used, ENERGY STAR® Qualified	\$250 per vat	40.40
Gas Steam Cooker	N/A	ENERGY STAR® Qualified	\$1,000 per unit	88.3
Gas Steam Cooker (Used)	N/A	Used, ENERGY STAR® Qualified	\$500 per unit	88.3
Gas Convection Oven	N/A	ENERGY STAR® Qualified	\$500 per cavity	35.2
Gas Convection Oven (Used)	N/A	Used, ENERGY STAR® Qualified	\$250 per cavity	35.2
Gas Combination Oven	N/A	ENERGY STAR® Qualified	\$1,000 per unit	40.30
Gas Combination Oven (Used)	N/A	Used, ENERGY STAR® Qualified	\$500 per unit	40.30
Gas Griddle	N/A	ENERGY STAR® Qualified	\$300 per unit	14.9
Gas Griddle (Used)	N/A	Used, ENERGY STAR® Qualified	\$150 per unit	14.9
Gas Charbroiler	N/A	Infrared Only	\$1,000 per unit	75
Gas Charbroiler (Used)	N/A	Used, Infrared Only	\$500 per unit	75
Gas Conveyor Oven	Conveyor Width ≥ 25 inches	Cooking efficiency ≥ 42% using ASTM standard F1817. Must have an idle energy consumption rate ≤ 57,000 Btu/Hr	\$1,000 per unit	88.4
Gas Conveyor Oven (Used)	Conveyor Width ≥ 25 inches	Used, cooking efficiency ≥ 42% using ASTM standard F1817. Must have an idle energy consumption rate ≤ 57,000 Btu/Hr	\$500 per unit	88.4

It's easy to receive ThermWise® Business Rebates:

1. Purchase and install qualifying equipment at a location receiving service on the Dominion Energy Commercial GS rate schedule.
2. Review Terms and Conditions and sign the appropriate rebate application.
3. Mail completed and signed application with required supporting documents to the address on the application.
4. Keep a photocopy of your entire submission for your records.
5. Receive your rebate within 6-8 weeks.

*Measures which are required by code are not eligible for rebates through the Business Rebate Program.

*These rebates are available to all Utah GS service territory business customers.

*Rebates for retrofit installations of wall and roof installation apply only to the first increment of R-10 insulation added to the wall or floor. Additional increments of R-10 beyond the first are not eligible to receive a rebate.